




Auto setups of all the following:








Our top-of-the-line air-feed creasing and perforating solution – fast, consistent and accurate.







Rotary Perforating Standard




RAC Compression Crease Assembly

The COUNT™ AccuCreaser Air provides fast, consistent quality creasing and perfing, with a variety of features that make it top of its class. Get super accurate rotary-actuated impact creasing with rotary perf/score capabilities, including micro-perf (up to four at a time), and automated distance recognition to support auto set-ups for a variety of creases, even perfect bind set-up. The AccuCreaser Air utilizes a bottom air paper feed with a built-in register guide to ensure accuracy with every sheet.



AccuCreaser Air





Features

- Provides modes for creasing, perforating or feeding.
- Bottom air feed with sheet spacing control.
- Rotary actuated impact creasing ensures maximum crease accuracy.
- Automated Distance Recognition allows auto setups for your most common creases and corresponding folds, including perfect bind.
- Perform up to 4 perfs at a time (including micro perf).
- Includes a sheet counter (for both batch and total sheet count).
- Add the optional inline transport to feed directly into the COUNT™
 CountCoat or other UV coaters.
- Includes standard and extra wide crease dies.
- User-friendly touch screen for easy set up and control of the machine.

Automatic Set-Up for Many Common Folds

Half

Tri-Fold

Z-Fold

Letter Fold

Roll Fold

Gate Fold

Double Gate Fold

Double Parallel Fold

Perfect Bind - No Hinge

Perfect Bind - Single Hinge

Perfect Bind - Double Hinge

Specifications

Model: AccuCreaser Air

Model No.: ACTREG

Paper Feed: Air

Weight: 300 lbs (136 kg)

Max Compression Crease: 5,

(sheets per hour)

Max Rotary Perf/Score Speed: 12,000

(sheets per hour)

Paper Weight Range: 60 - 350

(gsm)

Dimensions: 56.0 L x 30.0 W x 44.0 H in (142.3 x 76.2 x 111.8 cm)

(142.5 × 70.2 × 111.0 cm)


Max Sheet Size: 18 x 24 in (45.7 x 50.8 cm)

Min Sheet Size: 4.5×6 in (15.2 x 15.2 cm)

Electrical: 115 V, 60 Hz, 20 A or 230 V, 50 Hz, 20 A

Made in: U.S.A.






dcor Avenue, Wabash, Indiana 46992 260-563-0621 | Fax: 260-563-4575 www.martinyale.com



Easy to follow touch screens:









Add to your existing creaser for superior in-line folding, even with heavier paper stocks.







Proximity Sensor

Knife Fold Chassis

Skew Adjust

The COUNT™ KF-200 Knife Folder is the perfect companion to COUNT creasers, for users who want to add in-line folding of digital media. It's also compatible with almost any other brand of creasing equipment, offering a micro-adjust feature to compensate for variances in fold settings of creasers from other manufacturers. This machine is ideal for use in applications with heavier stock (up to 350 gsm card stock) where standard bucket folders can't get the job done – the KF-200 gives you a clean fold without cracking or bending the stock.

The KF-200 is equipped with a variable speed output conveyor featuring a unique proximity sensor that detects movement and ensures the smooth even flow of folded paper onto the exit tray.

KF-200 Knife Folder



An add-on to your existing creaser providing a superior in-line, folding solution that avoids cracking of digital media.

Features

- An ideal companion to COUNT™ creasers (FC114, FC114 A, AccuCreaser or EZCreaser).
- Compatible with almost any creaser built-in micro-adjust feature compensates for variances in fold settings of different creasers.
- User-friendly touch screen for easy set up and control of the machine.
- Keep paper feed aligned at all time with a simple adjustment control.
- Clear top lid provides visibility and access to paper jams.
- Innovative sensor at paper exit moves paper out of the way automatically, keeping exit clear.
- Comes with 6 pre-set folds; plus a custom option to accommodate almost any fold.
- Components are strong and durable, yet up to 43% lighter than competitive in-line folders, so it's easier to handle and maneuver into place.

Automatic Setup for 6 Common Folds

Bi-Fold

Tri-Fold

Z-Fold

Letter Fold

Gate Fold

Double Parallel Fold

Plus, a custom option for almost any type of fold.

Specifications

Model: KF-200 Knife Folder

Model No.: KF-200

Paper Feed: Friction

Weight: 224 lbs (102 kg)

Max Speed: 4,600 (sheets per hour)

Paper Weight Range: 120-350

(gsm)

Dimensions: 47.0 H x 28.0 W x 67.0 L in


(119.4 x 71.1 x 170.2 cm)

Max Sheet Size: 14.5 x 33 in (35.5 x 84.0 cm)

Min Sheet Size: 4.75 x 5.5 in (12.1 x 14.0 cm)

Electrical: 110/220 V, 50/60 Hz

Made in: U.S.A.





www.martinyale.com

